



Request for a search for an unrelated donor

Date start request

Type of request Request for a search for unrelated blood stem cell donors

Patient age \geq 65 years with \geq 2 comorbidities

Patient age \geq 75 years

Reason for the request Patient age \geq 80 years

Indication

Other

Request to Commission Allogeneic Transplantation (KAT)

Patient

Surname / First name

Date of birth

Sex masculine

feminine

Select an element.

Information regarding the assessment of the request in accordance with POL_009:

Diagnosis, course of the underlying disease:

PREVIEW ONLY



Patient

Surname / First name

Risk factors:

For patients ≥ 80 years:

Consultation at the TC has taken place

Results of the geriatric assessment

Results of the cardiological assessment in cases of cardiovascular disease (arrhythmia, cardiac or heart valve disease >0 on the Sorrow Score)

PREVIEW ONLY



Patient

Surname / First name

Comorbidity (Sorrer Score):

present	HCT-CI	Comorbidity	Definitions
yes <input type="radio"/> no <input type="radio"/>	1	Arrhythmia	Atrial fibrillation or flutter, sick sinus syndrome, or ventricular arrhythmias
yes <input type="radio"/> no <input type="radio"/>	1	Cardiac	Coronary artery disease*, congestive heart failure, myocardial infarction, or EF ≤ 50%
yes <input type="radio"/> no <input type="radio"/>	1	Inflammatory bowel disease	Crohns disease or ulcerative colitis
yes <input type="radio"/> no <input type="radio"/>	1	Diabetes	Requiring treatment with insulin or oral hypoglycemics but not diet alone
yes <input type="radio"/> no <input type="radio"/>	1	Cerebrovascular disease	Transient ischemic attack or cerebrovascular accident
yes <input type="radio"/> no <input type="radio"/>	1	Psychiatric disturbance	Depression or anxiety requiring psychiatric consult or treatment
yes <input type="radio"/> no <input type="radio"/>	1	Hepatic, mild	Chronic hepatitis, bilirubin > ULN to 1.5 x ULN, or AST/ALT > ULN to 2.5 x ULN
yes <input type="radio"/> no <input type="radio"/>	1	Obesity	Patients with a body mass index > 35 kg/m2
yes <input type="radio"/> no <input type="radio"/>	1	Infection	Requiring continuation of antimicrobial treatment after day 0
yes <input type="radio"/> no <input type="radio"/>	2	Rheumatologic	SLE, RA, Polymyositis, Polymyalgia rheumatica, „mixed connective tissue disease“
yes <input type="radio"/> no <input type="radio"/>	2	Peptic ulcer	Requiring treatment
yes <input type="radio"/> no <input type="radio"/>	2	Moderate/severe renal	Serum creatinine > 176 µmol/l , on dialysis, or prior renal transplantation
yes <input type="radio"/> no <input type="radio"/>	2	Moderate pulmonary	DLco and/or FEV1 66%-80% or dyspnea on slight activity
yes <input type="radio"/> no <input type="radio"/>	3	Prior solid tumor**	Treated at any time point in the patient's past history, excluding nonmelanoma skin cancer
yes <input type="radio"/> no <input type="radio"/>	3	Heart valve disease	Except mitral valve prolapse
yes <input type="radio"/> no <input type="radio"/>	3	Severe pulmonary	DLco and/or FEV1 ≤ 65% or dyspnea at rest or requiring oxygen
yes <input type="radio"/> no <input type="radio"/>	3	Moderate/severe hepatic	Liver cirrhosis, bilirubin > 1.5 x ULN, or AST/ALT > 2.5 x ULN

*≥ 1-vessel-coronary artery stenosis, requiring medical treatment, stent or bypass graft.

** Including Lymphoma, in case the actual indication for HSCT is of a myeloid nature

Total score:

Applicant

Date / Signature